

Introduction to OpenMP

Lecture 3: Parallel Regions



Parallel region directive

- Code within a parallel region is executed by all threads.
- Syntax:

Fortran: `!$OMP PARALLEL`
block
`!$OMP END PARALLEL`


C/C++: `#pragma omp parallel`
{
block
}



Parallel region directive (cont)

Example:

```
fred();  
#pragma omp parallel  
{  
    billy();  
}  
daisy();
```



Useful functions

- Often useful to find out number of threads being used.

Fortran:

```
USE OMP_LIB  
INTEGER FUNCTION OMP_GET_NUM_THREADS ()
```

C/C++:

```
#include <omp.h>  
int omp_get_num_threads(void);
```

- **Important note:** returns 1 if called outside parallel region!



Useful functions (cont)

- Also useful to find out number of the executing thread.

Fortran:

```
USE OMP_LIB  
INTEGER FUNCTION OMP_GET_THREAD_NUM()
```

C/C++:

```
#include <omp.h>  
int omp_get_thread_num(void)
```

- Returns values between 0 and `OMP_GET_NUM_THREADS () - 1`
- Returns 0 outside a parallel region



Clauses

- Specify additional information in the parallel region directive through *clauses*:

Fortran : `!$OMP PARALLEL [clauses]`

C/C++: `#pragma omp parallel [clauses]`

- Clauses are comma or space separated in Fortran, space separated in C/C++.



Shared and private variables

- Inside a parallel region, variables can be either **shared** (all threads see same copy) or **private** (each thread has its own copy).
- Shared, private and default clauses

Fortran: **SHARED** (*list*)

PRIVATE (*list*)

DEFAULT (SHARED|PRIVATE|NONE)

C/C++: **shared** (*list*)

private (*list*)


default (shared|none)



Shared and private (cont)

Example: each thread initialises its own column of a shared array:

```
!$OMP PARALLEL DEFAULT(NONE), PRIVATE(I, MYID),  
!$OMP& SHARED(A, N)  
    myid = omp_get_thread_num() + 1  
    do i = 1, n  
        a(i, myid) = 1.0  
    end do  
!$OMP END PARALLEL
```



Multi-line directives

- Fortran: fixed source form

```
!$OMP PARALLEL DEFAULT(NONE) , PRIVATE(I, MYID) ,  
!$OMP& SHARED(A, N)
```

- Fortran: free source form

```
!$OMP PARALLEL DEFAULT(NONE) , PRIVATE(I, MYID) , &  
!$OMP SHARED(A, N)
```

- C/C++:

```
#pragma omp parallel default(none) \  
private(i,myid) shared(a,n)
```



Initialising private variables

- Private variables are uninitialised at the start of the parallel region.
- If we wish to initialise them, we use the FIRSTPRIVATE clause:

Fortran: **FIRSTPRIVATE** (*list*)

C/C++: **firstprivate** (*list*)



Initialising private variables (cont)

Example:

```
    b = 23.0;
    . . . . .
#pragma omp parallel firstprivate(b), private(i,myid)
{
    myid = omp_get_thread_num();
    for (i=0; i<n; i++){
        b += c[myid][i];
    }
    c[myid][n] = b;
}
```



Reductions

- A *reduction* produces a single value from associative operations such as addition, multiplication, max, min, and, or.
- Would like each thread to reduce into a private copy, then reduce all these to give final result.
- Use REDUCTION clause:

Fortran: **REDUCTION** (*op: list*)

C/C++: **reduction** (*op: list*)

- Can have reduction arrays in Fortran, but not in C/C++



Reductions (cont.)

Example:

```
b = 10
!$OMP PARALLEL REDUCTION(+:b),
!$OMP& PRIVATE(I,MYID)
  myid = omp_get_thread_num() + 1
  do i = 1,n
    b = b + c(i,myid)
  end do
!$OMP END PARALLEL
a = b
```

Value in original variable is saved

Each thread gets a private copy of **b**, initialised to 0

All accesses inside the parallel region are to the private copies

At the end of the parallel region, all the private copies are added into the original variable



Exercise

Area of the Mandelbrot set

- Aim: introduction to using parallel regions.
- Estimate the area of the Mandelbrot set by Monte Carlo sampling.
 - Generate a grid of complex numbers in a box surrounding the set
 - Test each number to see if it is in the set or not.
 - Ratio of points inside to total number of points gives an estimate of the area.
 - Testing of points is independent - parallelise with a parallel region!

